

64670 GCV 500W 240V 12/CS 1/SKU



Produkteigenschaften

- Robust construction for reliable, lasting performance
- Consistent color over the life of the lamps
- Instant on and nearly constant luminous flux over the life of the lamp
- Broad product portfolio supporting the stage and studio markets
- Dimmable to 0% with traditional amber shift

Anwendungsgebiete

- Bühne und Theater
- Studio, TV und Film
- Professional Photography
- Club & Disco

Technische Daten

General product information

NAED5 [AGGR]	54496
Description [AGGR]	64670 GCV 500W 240V 12/CS 1/SKU
Sales Text [AGGR]	64670 GCV 500W 240V 12/CS 1/SKU

Elektrische Daten

Nominal Wattage [AGGR]	500 W
Nominal Voltage [AGGR]	240 V
Type of Current [CRM]	AC

Lichttechnische Daten

Lumens [AGGR]	11000 lm
Light Center Length - LCL (in) [CRM]	1.83 in
Light Center Length - LCL (mm) [CRM]	46.5 mm
Color Temperature [AGGR]	3000 K
Color Rendering Index [AGGR]	100
Average Rated Life [AGGR]	300 h


Physical attributes

Base (OSI designation) [AGGR]	GY9.5 BIPIN PREFOCUS
Bulb Shape [AGGR]	T6.5
Length l (in) [CRM]	3.54 in
Length l (mm) [CRM]	90 mm
Diameter d (in) [CRM]	0.866 in
Diameter d (mm) [CRM]	22.00 mm

Zusätzliche Produktdaten

Operating Position [CRM]	ANY
Lamp Type [AGGR]	SINGLE END

Produktdatenblatt



Packaging Information

Product number	EAN/UPC	Packaging	Quantity	Outside dimensions l x w x h	Gewicht brutto
54496	4008321624031	Faltschachtel (SKU)	1	1.6 in x 1.6 in x 5.1 in	0.1 lb
54496	4008321624048	Versandschachtel (Case)	12	7 in x 5.4 in x 5.4 in	1.5 lb

Die genannten Produktnummern beschreiben die kleinste bestellbare Mengeneinheit. Eine Versandeinheit kann mehrere Einzelprodukte beinhalten. Als Bestellmenge verwenden Sie bitte das Ein- oder Mehrfache einer Versandeinheit.

Haftungsausschluss

OSRAM does not accept liability for errors, changes and omissions.